

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	10127	375/295,296,316,143,146,147,149,152,346,367.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/16 13:47
L2	1205	L1 and @pd>="20070611"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/16 13:47
L3	0	2 and ((pn or (pseudo adj1 random) or pseudorandom) with ((time invert\$3) or (time revers\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/16 13:52
L4	2	2 and ((code) with ((time invert\$3) or (time revers\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/16 13:53
L5	113	((pn or (pseudo adj1 random) or pseudorandom) with ((time invert\$3) or (time revers\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/16 13:55
L6	64	5 and (@pd<="20040325" OR @ad<="20040325" OR @rlad<="20040325" OR @prad<="20040325")	USPAT	ADJ	ON	2008/06/16 13:56

L7	25	((((pn or (pseudo adj1 random) or pseudorandom) near2 code) with ((time invert\$3) or (time revers\$3))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/16 13:57
L8	20	7 and (@pd<="20040325" OR @ad<="20040325" OR @riad<="20040325" OR @prad<="20040325")	USPAT	ADJ	ON	2008/06/16 13:57
S1	1	"6064695".pn. and (pseudo or pn)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/17 08:45
S2	2	"6798825".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/17 08:45
S3	6	("3934203"   "5144641"   "5315616"   "5423001"   "5432814"   "6064695").PN. OR ("6798825").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/11/17 09:21
S4	0	(second near4 pn near4 code) with (time near4 revers\$3) with (first near4 pn near3 code)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/11/17 09:23
S5	16	(second near4 code) with (time near4 revers\$3) with (first near4 code)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/11/17 10:22
S6	125	time near3 invert\$3 near3 code	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/11/17 13:14
S7	5018	first code with second code	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/11/17 13:20
S8	601	S7 and (code with represent with (bit or data))	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/11/17 13:15
S9	23	S8 and (time near4 inver\$4)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/11/17 13:21
S10	876	S7 with transmit\$4	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/11/17 13:20

S11	10	S8 and ((time near4 inver\$4) with code)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/11/17 14:14
S12	21	(code near2 pair) with represent with data	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/11/17 14:53
S13	1929	transmit\$4 with (code near4 (pair or (first with second))) with (bit or data)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/11/17 14:55
S14	262	S13 and ((pn or pseudo) near3 code)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/11/17 14:56
S15	0	("2004/0141546").URPN.	USPAT	ADJ	ON	2007/11/17 17:58
S16	1	("2004/0110508").URPN.	USPAT	ADJ	ON	2007/11/17 18:11
S17	17	("5063571"   "5144641"   "5291515"   "5530697"   "5559828"   "5583884").PN. OR ("6212219").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/11/18 21:34
S19	1	10/481764 and bit	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/11/18 21:34
S20	0	("2004/0234005").URPN.	USPAT	ADJ	ON	2007/11/18 21:35
S21	0	S19 and (pn or pseudo)	USPAT	ADJ	ON	2007/11/18 21:40
S22	10	(pair near4 code) with represent\$3 with ((S20 or two) near2 bit)	USPAT	ADJ	ON	2007/11/18 23:15
S23	7	QPSK with (pair near2 code)	USPAT	ADJ	ON	2007/11/19 08:27
S24	1	code with pair with ((temporal or time) adj1 inver\$3)	USPAT	ADJ	ON	2007/11/19 09:34
S25	1605	receiv\$3 with code with pair	USPAT	ADJ	ON	2007/11/19 09:34
S26	303	receiv\$3 with (code near2 pair)	USPAT	ADJ	ON	2007/11/19 09:35
S27	13	S26 with (pn or pseudo)	USPAT	ADJ	ON	2007/11/19 10:22
S28	953	(memory with stor\$3 with code with enable)	USPAT	ADJ	ON	2007/11/19 10:22

S29	48	(memory with stor\$3 with code with enable) same (code near4 match)	USPAT	ADJ	ON	2007/11/19 10:23
S30	6	S28 and pn code	USPAT	ADJ	ON	2007/11/19 16:39
S31	562	memory with stor\$3 with code with correlat\$3	USPAT	ADJ	ON	2007/11/19 16:39
S32	139	S31 and ((pn code) or (pseudo near3 code))	USPAT	ADJ	ON	2007/11/19 16:52
S33	138	S32 and (@pd<="20040325" OR @ad<="20040325" OR @riad<="20040325" OR @prad<="20040325")	USPAT	ADJ	ON	2007/11/20 11:33
S34	109	S33 and correlator	USPAT	ADJ	ON	2007/11/19 17:16
S35	4	(detected near3 code) with (stor\$3 or sav\$3) with (pn code)	USPAT	ADJ	ON	2007/11/19 17:19
S36	5	(match\$3 near3 code) with (stor\$3 or sav\$3) with (pn code)	USPAT	ADJ	ON	2007/11/19 17:22
S37	5	S36 not S35	USPAT	ADJ	ON	2007/11/19 17:19
S38	1044	(match\$3 near3 detect\$3) with (stor\$3 or sav\$3) with (memory or ram or buffer or register or cache)	USPAT	ADJ	ON	2007/11/19 17:23
S39	3	S38 and pn code	USPAT	ADJ	ON	2007/11/19 17:23
S40	1	correlator with control signal with (sav\$3 or stor\$3) with ((pn or pseudo) near3 code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/20 10:57
S41	0	control signal with (sav\$3 or stor\$3) with ((pn or pseudo) near3 code) with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/20 10:57

S42	7	control signal with (sav\$3 or stor\$3) with ((pn or pseudo) near3 code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/20 10:57
S43	6	S42 not S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/20 11:31
S44	4659	(detected near3 code) with (stor\$3 or sav\$3 or memory or rom or ram or cache or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/20 11:33
S46	28	S44 and pn code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/20 11:33
S47	19	S46 and (@pd<="20040325" OR @ad<="20040325" OR @rlad<="20040325" OR @prad<="20040325")	USPAT	ADJ	ON	2007/11/20 13:02
S48	0	(bit near2 match near2 counter) with (stor\$3 or sav\$3) with (detected near2 code)	USPAT	ADJ	ON	2007/11/20 13:03
S49	1	(match near2 counter) with (stor\$3 or sav\$3) with (detected near2 code)	USPAT	ADJ	ON	2007/11/20 13:06
S50	584	(stor\$3 or sav\$3) near4 (detected near2 code)	USPAT	ADJ	ON	2007/11/20 13:06
S51	3	S50 and pn code	USPAT	ADJ	ON	2007/11/20 13:10
S52	4016	(stor\$3 or sav\$3) with later retrieval	USPAT	ADJ	ON	2007/11/20 13:10

S53	128	(stor\$3 or sav\$3) with later retrieval with code	USPAT	ADJ	ON	2007/11/20 13:10
S54	4	((stor\$3 or sav\$3) near3 detected near3 code) with later retrieval	USPAT	ADJ	ON	2007/11/20 13:34
S55	1	"7133440".pn.	USPAT	ADJ	ON	2007/11/20 13:54
S56	3512	filter\$3 with (detect\$3 near2 peak)	USPAT	ADJ	ON	2007/11/20 13:55
S57	75	S56 and pn code and correlation	USPAT	ADJ	ON	2007/11/20 14:36
S58	79	(stor\$3 near2 code) with later with processing	USPAT	ADJ	ON	2007/11/20 14:37
S59	1	S58 and pn code	USPAT	ADJ	ON	2007/11/20 14:38
S60	6	S58 and correlation	USPAT	ADJ	ON	2007/11/20 14:56
S61	54	transmit with code with pair with bits	USPAT	ADJ	ON	2007/11/20 14:57
S62	9	transmit with (code near2 pair) with bits	USPAT	ADJ	ON	2007/11/20 15:13
S63	9	transmit with (code near2 complement\$3) with bits	USPAT	ADJ	ON	2007/11/20 15:13
S64	9	S63 not S62	USPAT	ADJ	ON	2007/11/20 15:15
S65	4	09/803285	USPAT	ADJ	ON	2007/11/20 15:17
S66	1	"6519275".pn.	USPAT	ADJ	ON	2007/11/20 15:18
S67	1	"5907576".pn.	USPAT	ADJ	ON	2007/11/20 15:19
S68	1	"5754584".pn.	USPAT	ADJ	ON	2007/11/21 07:48

S69	38	pn code with complement\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/21 08:52
S70	12	S69 with transmit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/21 08:56
S71	449	m-ary and pn code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/21 08:57
S72	2713	stor\$3 with code with later with received code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/21 09:19
S73	2	S72 and pn code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/21 09:17
S74	39	(stor\$3 near3 code) with later with received code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/21 10:12

S75	603	(shift register) with opposite with direction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/21 10:16
S76	416	S75 and (first and second) with register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/21 10:13
S77	384	S75 and (first with second) with register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/21 10:13
S78	987	(shift register) with ((opposite or reverse) near2 direction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/21 10:16
S79	579	(shift register) near4 ((opposite or reverse) near2 direction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/21 10:17
S80	47	(second near2 (shift register)) near4 ((opposite or reverse) near2 direction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/11/21 10:17



S81	2	"5862172".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/04 14:24
S82	0	"10811361"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/04 14:25
S83	0	"10/811361"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/04 14:25
S84	0	10/811361	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/04 20:54
S85	6	09/845950	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/04 20:54
S86	12	("5572552"   "5615209"   "5671221"   "5673291"   "5987016"   "6125137"   "6160841"   "6377615"   "6658046").PN. OR ("6922434").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/06/04 21:18
S87	1	"6922434".pn. and weight\$3	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/06/06 11:40
S83	1	"6922434".pn. and (select\$3 with weight\$3)	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/06/06 12:14

S94	293	time near3 (revers\$3 or invert\$3) near3 code	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/06/09 14:59
S95	397	time near3 (revers\$3 or invert\$3 or invers\$3) near3 code	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/06/09 15:00
S96	245	S95 and (@pd<="20040325" OR @ad<="20040325" OR @riad<="20040325" OR @prad<="20040325")	USPAT	ADJ	ON	2008/06/09 15:00
S97	66	S96 and ((pn or (pseudo adj1 random)) near2 code)	USPAT	ADJ	ON	2008/06/09 15:01
S98	10127	375/295,296,316,143,146,147,149,152,346,367.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPC; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/06/16 13:44

6/16/2008 2:02:56 PM

C:\Documents and Settings\slee7\My Documents\EAST\Workspaces\10811361 - amendment.wsp